

# BOHO UNPLUGGED IN A TECH-FILLED WORLD



By Kali Steele  
Rendering 2317  
Tiny Home Project 2

# DINING ROOM




## ODISSEIA

BAR CHAIR

Odiseia chair embodies the aesthetic spirit of the space age, a new kind of discreet luxury and comfort inspired by a futuristic era created by new visual experiences and concepts of the future. This effortless but striking piece insinuates a new vision of the home of the future, as a new order of being.

Upholstery Fabric or Leather


Feet Polished brass, copper or nickel, or satin brass, copper or nickel



// as pictured


Upholstery - Velvet Nuage

Feet - Polished brass



RECTANGLE

38.11V Design by Omar Arbol  
PRODUCT SPECIFICATION



PENDANTS: eleven  
MOUNTING: white powder coated rectangular canopy 1000mm (39.4") x 370mm (14.6") x 53mm (2") deep  
LAMPING: 1.5w LED or 10w xenon  
COAX: cord lengths: 3000mm (10') standard / up to 30500mm (100') maximum  
MATERIALS: blown glass, braided metal coaxial cable, electrical components, white powder coated canopy  
WEIGHT: approximately 37kg (81lb)  
POWER SUPPLIES: integral

### DESCRIPTION

38.11V is a random configuration of eleven 38V pendants hung from a rectangular canopy. The pendants are designed to hang in a random configuration, the result is an ambient installation or field of light.

38V is a variant of the original 38 series where a large glass sphere is blown with a multitude of hepstar and interior cavities, which intersect and collide in unpredictable ways. 38V is smaller, lighter and suspended with coaxial cables. The interior cavities can be filled with plants or left empty.

Standard 38V are made with clear glass exterior spheres and milk white interior lamp holder cavities.

### NOTES

- + Purchase replacement lamps online at [www.bocci.ca/shop/bulbs](http://www.bocci.ca/shop/bulbs)
- + Unless otherwise noted when ordering, all fixtures will be outfitted to be xenon compatible
- + As an alternative to the junction box power supply, Bocci recommends mounting power supplies remotely in an easily accessible and hidden location for ease of long term maintenance

EU Patent # 002071019-001

Made in Vancouver, Canada

Vancouver  
[sales@bocci.ca](mailto:sales@bocci.ca)  
[www.bocci.ca](http://www.bocci.ca)

Berlin  
[europe@bocci.ca](mailto:europe@bocci.ca)  
[www.bocci.ca](http://www.bocci.ca)



**BOCCI**

© 2013, Bocci Design and Manufacturing Inc. All rights reserved. Any inquiries should be directed to: [info@bocci.ca](mailto:info@bocci.ca)



Bar stool

Light Fixture w/ air plants

Built-In Table Planned

# LIVING ROOM



## PANORAMA

SWIVEL ARMCHAIR


Solid and concrete like in appearance, Panorama line is an ode to monumental proportions an impacting visual lines impossible to overlook in a voyage amongst Eastern Europe's architectural legacy. Still the strong lines are attenuated by softly gathered upholstery that will provide you maximum comfort.

Top Upholstery and Cushion Fabric or Leather

Bottom Upholstery Fabric or Leather

Sphere Applications Lacquered MDF

Metal Applications Stainless Steel Plated Polished: Brass, Copper or Nickel



// as pictured

Top upholstery + Cushion - Velvet Terracotta

Bottom upholstery - Velvet Woods

Sphere applications - Lacquered MDF mocha

Metal applications - Stainless Steel Plated Polished Brass



## SOUK

MIRROR

Created by the perfect combination of color, energy and shape, Souk mirrors reflect the influences of overwhelming and visually fascinating Souk markets in northern Africa with its vibrant fringes and earthy colors resembling typical macramé techniques. These soulful art pieces will make you travel to another time and place where your senses will surely feel aroused.

Top Mirror Glass mirror, Bronze mirror, Aged mirror

Marble Application Estremoz White, Estremoz Rose, Guatemala Green and Nero Marquina

Metal Application Polished or Satin Brass or Nickel

Fringes These color combinations available



// as pictured

Top Mirror - Bronze mirror

Marble Application - from left to right: Guatemala Green, Estremoz White and Nero Marquina

Metal application - Satin Brass

Fringes - From left to right: Ref souk red, Ref souk yellow, Ref souk black



## LA FOLIE

SETTEE

With voluptuous curves and perfect poles, La Folie exalts passion and fantasy as if you were in a burlesque show at Moulin Rouge. Let yourself be drawn by this flirtatious feeling of sensuality and a touch as smooth as silk.

Upholstery Fabric or Leather

Piping Fabric or Leather

Fringes



// as pictured

Upholstery - Velvet Dijon

Piping - Velvet Dijon

Fringes - 561

Side Chair

Décor/ Mirror

Sofa

# LIVING ROOM CONT.



Rug (Carol Piper Rugs)



Live Oak Coffee Table (Etsy)-  
Option 1

HENGE®

R-TABLE



Structure in 30 mm thick curved shaped wood with finish: Heat treated Eucalyptus, heat treated Acacia, heat treated Chestnut, heat treated Oak, with hand applied vegetal oil finish based on natural wax and water. Ø 60 cm table top in burnished Stone, hand burnished in the traditional manner. 20mm thick stone top brushed sand sprayed Cappuccino, sanded Meteorus, smoothed matt Gray Stone, smoothed matt Mistic Brown, smoothed matt Marquina Black. Top covered in leather with MDF sub structure. Leather of collection in different grades. Ø 60 cm x 20 mm thick stone table top, burnished sand sprayed Cappuccino, sanded Meteorus, smoothed matt Gray Stone, smoothed matt Mistic Brown, smoothed matt Marquina Black. Brass top hand burnished in the traditional manner. Top covered in leather with MDF sub structure. Leather of collection in different grades.

DIMENSIONS  
60 cm Ø x 20 cm  
80 cm Ø x 35 cm

Struttura in legno curvato spessore 30 mm con finitura Eucalyptus termico trattato, Acacia termico trattato, Castagno termico trattato, Rovere termico trattato finiti ad olio vegetale a base di cere naturali e acqua. Piano base Ø 60 cm in ottone bruciato, con finitura bruciata a mano secondo le tecniche tradizionali. Piano in pietra spessore 20 mm Cappuccino sabbato spazzolato, Meteorus sabbato, Gray Stone levigato opaco, Mistic Brown levigato opaco, Nero Marquina levigato opaco. Piano in legno multistrato rivestito in pelle nella finitura a cappuccino. Piano base Ø 60 cm in pietra spessore 20 mm Cappuccino sabbato spazzolato, Meteorus sabbato, Gray Stone levigato opaco, Mistic Brown levigato opaco, Nero Marquina levigato opaco. Piano in ottone con finitura bruciata a mano secondo le tecniche tradizionali. Piano in legno multistrato rivestito in pelle nella finitura a cappuccino.

DIMENSIONI  
60 cm Ø x 20 cm  
80 cm Ø x 35 cm



Natural wood coffee table-  
Option 2

# LIVING ROOM CONT.



Inspiration picture-Built  
in music storage/  
feature wall planned

# KITCHEN

## HOME APPLIANCES

### LG LAUNDRY

#### WM3499HVA

Compact Front Load Washer & Dryer Combo

2.3 cu.ft. Capacity  
Compact All-In-One Washer/Dryer Combo  
14 Wash Programs  
1,400 RPM  
Ventless Condensing Drying  
SmartThinQ® (Wi-Fi Enabled)  
SmartDiagnosis™  
Internal Heater  
Allergiene™ Cycle  
NeverRust™ Stainless Steel Drum  
Available in Graphite Steel

Enjoy new ways to control your home with LG smart appliances

- Start the laundry while you're out shopping
- Get alerts when the cycle is finished
- Works with the LG SmartThinQ® App

SUMMARY	
Capacity (cu.ft.)	2.3
Internal Heater	Yes
Steam	Yes
Width	24"
Color	Graphite Steel (V)
APPEARANCE	
Hard Bottom	Yes
Touch Buttons	Yes
Door-A-Cycle™	Yes
ENERGY	
WEP	2.0
IEP	6.0
WASHER/DRYER PROGRAMS	
No. of Programs	14
	Normal, Bulky/Large, Baby Wash, Perm. Press, Delicates, Hand Wash/Pre-Wash, Quick Wash, Tub Clean, Sanitary Heavy Duty, DrainerSpin, Wash-Dry, Allergiene™, Downloaded
WASHER/DRYER OPTIONS	
No. of Options	9
	Prewash, *90°F, Delay Wash (Time Delay), Steam, *Heavy Soil, Child Lock, *Signal, Add Detergent, Time Dry
WASH DETAILS	
Max RPM	1400
FABRIC CARE FEATURES	
TurboWash® 3.0 Technology	Yes
Steam Technology	Yes
Allergiene™ Cycle	Yes
Sanitary Cycle	Yes
ColdWash™ Option	Yes
SmartCare™ System	Yes
DRYER PROGRAMS	
Temperature Settings	Extra Hot, Hot, Warm, Cold, Tap Cold (Hot/Cold Reset)
Drying Levels	Time, More, Normal, Damp, Low Temp.
Manual Dry Times	120 min, 60 min, 30 min

CONVENIENCE FEATURES	
TwinClean™ Auto Vibration System	Yes
4 Tray Dispenser	Yes
End of Cycle Signal	Yes
LoadSense	Yes
Child Lock	Yes
Auto Safe Removal	Yes
Leveling Legs	Yes
Easy Loading TDS™	Yes
SMARTTHINQ® TECHNOLOGY	
SmartDiagnosis™	Yes
Wi-Fi	Yes
MOTOR	
Motor Type	Inverter Direct Drive Motor
Axis	Horizontal
MATERIALS AND FINISHES	
Navohua™ Stainless Steel Drum	Yes
All Available Colors	Graphite Steel (V)
POWER SOURCE	
Electrical Requirements	120V, 10 Amps
OPTIONAL ACCESSORIES	
Hose Included	Yes
DIMENSIONS	
Product (HxWxD)	34" x 33 1/2" x 25 1/4"
Depth with Door Open	45"
Carton (HxWxD)	35 5/8" x 34 1/2" x 27 3/8"
Weight (Product)	156.5
Weight (Carton)	165.3
LIMITED WARRANTY	
Parts and Labor	1 Year
Direct Drive Motor	10 Years
UPC CODES	
WM3499HVA (Graphite Steel)	048233026741



## GE Profile™ Series ENERGY STAR® 22.1 Cu. Ft. Smart Counter-Depth Fingerprint Resistant French-Door Refrigerator with Keurig® K-Cup® Brewing System

Model# PFE22PNFS



- Fingerprint resistant stainless - Easily wipe away smudges and fingerprints for a look that's always sparkling clean
- Counter-depth design - Offers a built-in look by fitting nearly flush with surrounding cabinetry
- Keurig® K-cup® brewing system - The unexpected convenience of hot single serve brewing at your fridge
- Hot Water Scheduling - Have hot water ready for you to brew single serve beverages any time of day. Just schedule hot water through the GE Kitchen App, and enjoy ultimate convenience
- Full-width electronic temperature-controlled drawer with LED lights - 3 accurate settings deliver the optimal temperature for your favorite foods
- Advanced water filtration uses SPWFE replacement filter - Reduces trace pharmaceuticals from water and ice! \* Removes 98% of ibuprofen, acetaminophen, fluoxetine, progesterone and trimethoprim. These pharmaceuticals are not necessarily in all users' water
- TwinChill™ evaporators - Separate climates in the fresh food and freezer sections help keep foods fresh
- Showcase LED lighting - Positioned throughout the interior and under fresh food doors to spotlight foods inside the refrigerator and in the freezer
- Quick Space shelf - Quickly slides out of the way to make room for tall items
- WiFi Connect - Use your voice to control your refrigerator to heat up water for coffee and tea, or to

FEATURES	
Configuration	French Door
WiFi Connect	Built-in
Connected Capabilities	Amazon Alexa, IFTTT, The Google Assistant
Temperature Management Features	Turbo Cool setting
Temperature Management System	TwinChill™ Evaporators
Defrost Type	Frost Guard
Control Type	External Electronic Digital Temperature Display
Dispenser	Cubes, Crushed Ice and Water, Large Stainless Steel
Dispenser Features	Door Alarm, LED Dispenser Light, Single Serve K-cup, Water Filter Indicator Light
Ice Maker	Space Saving Ice
Water Filtration	Advanced Filtration System (BPFWS) Removes Pharmaceutical, Water Filter Indicator Light
Filter Location	Left well
Fresh Food Cabinet Drawers	1 Full-Width, Adjustable Temperature Drawer; 2 Adjustable Humidity; 3 Total Electronic Temperature Control w/ LED Lighting
Fresh Food Cabinet Shelves	1 Quick Space Shelf; 3 Spill Proof; 4 Split Adjustable; 1 Full-Width; 5 Total - glass with Silver Trim
Fresh Food Door Bins	2 Adjustable; 3 with Gallon Storage; 6 Total
Freezer Door Bins	1 Total
Freezer Storage Baskets	2 Full-Width
Freezer Features	Interior Lighting - LED (2), Turbo Freeze, Counter-Depth
Exterior Style	2 Front Leveling Legs
Leveling System	Easily Removable Door Gaskets; Sabbath Mode Capable
Performance Features	Bottom Freezer Refrigerator, Counter-Depth Refrigerator, French-Door Refrigerator
Product Type	

## 30" WARMING DRAWER

WWD30



### FEATURES

Distributes heat evenly from 60 to 200 degrees Fahrenheit using fans includes food presets, such as bread, cooked cereals, and pizza  
Tested and approved for warming towels  
Fits entrees and sides easily in its generous 30 inch drawer cavity  
Includes hidden electronic controls  
Offers automatic shut-off

### ACCESSORIES

30" Stainless Professional Front Panel - 2" Thick  
36" Stainless Professional Front Panel - 2" Thick  
6-Piece Container Set  
Contemporary Handle- E Series  
Contemporary/Transitional Handle  
Professional Handle-E Series  
Professional Handle-M Series  
Transitional Handle- M Series  
Warming Drawer Front Panel - Integrated  
Warming Drawer Front Panels - M Series  
Warming Drawer Front Panels - E Series

Accessories available through an authorized dealer. For local dealer information, visit [wolf-wolf.com/locate](http://wolf-wolf.com/locate)



### FRONT PANEL OPTIONS



© 2018 LG Electronics USA, Inc. All rights reserved. "LG Life's Good" is a registered trademark of LG Corp. All other product and brand names are trademarks or registered trademarks of their respective owners. Design, features and specifications are subject to change without notice. Non-stock weights and measurements are approximate. Some features may require Internet access. Content and features may vary by product and are subject to change without notice. 30270

Specifications are subject to change without notice. This information was generated on April 15, 2020. Verify specifications prior to finalizing your cabinetry/enclosures.

Washer/Dryer Combo Refrigerator/ Coffee Dispenser Microwave Drawer

## KITCHEN CONT.

## GE® 30" Wall-Mount Pyramid Chimney Hood



Model# JW5301SJSS



- Easy-to-follow venting installation -
- 350-CFM venting system with boost - Effectively removes grease, smoke, odors and moisture
- Electronic bacilit controls - Add a sophisticated look with this up-front, easy-to-use display
- Dual halogen cooktop lighting - Enjoy better visibility with a brightly lit cooktop and surrounding surface
- Night light - Keep a dim light on for visibility at all hours
- Convertible venting options - Select recirculating or external venting
- Optional remote control LXRC70 - Control your ventilation lighting and fan speed from anywhere in the kitchen
- Auto-off - Set the vent hood to automatically shut off after 15 minutes
- Dishwasher safe filter - Filters grease and is dishwasher-safe

Have more questions? Please contact 1-800-626-2005.

FEATURES	
Control Location	Front
Control Type	Backlit
Coast/Lighting	Halogen
Ducting	Vertical Only
Exhaust Options	Recirculating/Ventured to Outside
Fan Speed Control	4-Speed
Filter Cleaning	Dishwasher Safe
Removable Grease Filter(s)	Yes
6" Round Duct	Yes
CFM Sones Rating	150/1.0 (working speed); 340/5.1 (max)
	350/6.6 (Boost speed) On/Off/Night
Optional Accessories	UCW72 - Charcoal Filter; UCW335-25 - 10 (R) ceiling duct Cover kit; UCW72-25-5 - 9 (R) Ceiling Duct Cover kit; UCW72 - Remote Control



- **Fit Guarantee** – Replace your up to 30' free-standing range with a new 30" wide 3" deep model. GE slide-in-ranges are available in 30" and 36" widths. Appliances will pay up to \$300 toward modifications. See offer criteria and details
- **Induction cooktop technology** – innovative, fast, efficient cooking
- **Glide touch controls** – Precisely control element temperature with just the swipe of a finger
- **11 3700-watt induction element** – Powerful enough to boil a quart of water in 101 seconds just gentle enough to simmer
- **Two 2500-watt synchronized elements** – Control two 8" elements simultaneously to evenly heat large cookware or griddles
- **Anywhere control with remote notifications** – Save time and energy by preheating and monitoring your oven from anywhere using the GE Appliances kitchen app
- **Chef Connection** – Three options with a single touch. Let smart convenience choose when to automatically sync cycles for the range element with the microwave's surface light and vent
- **Never-scur over racks** – Long-lasting racks look great and can be cleaned at the same time as the oven
- **True European Connection with Precise Air** – Accurate heat control ensures evenly baked foods
- **Soft-close storage doors** – Drawer closes silently and softly with just a touch

GE Profile™ 30" Smart Slide-In Front-Control Induction and Convection Range



Profile™ Series

Model# PHS930SLSS

<b>FEATURES</b>	
<b>Cooktop Burner Type</b>	Induction
<b>Cooltop Surface</b>	Black Ceramic Glass, Edge-to-Edge
<b>Element - Left Front</b>	8" 2500W Sync Element
<b>Element - Left Rear</b>	8" 2500W Sync Element
<b>Element - Right Front</b>	14" 2500W Power Bolt
<b>Element - Right Rear</b>	6" 1800W
<b>Element - Center</b>	10" 300W Warning Zone
<b>Configuration</b>	Range with Storage Drawer
<b>Control Location</b>	Front controls
<b>Hot Surface Indicator Lights</b>	5
<b>Overheating Type</b>	Self-Clean with Steam Clean Option
<b>Overnight Features</b>	<ul style="list-style-type: none"> <li>Auto-Brake Preheat Signal, Auto</li> <li>Open Shut-Off with Override, Auto</li> <li>Recipe Conversion, Auto Self-Clean</li> <li>Predefined Sabbath mode, Chef</li> <li>Connect Control Mode, Cook Capability, C</li> <li>or P, Programmable</li> <li>Option (Time Cook), Delay Bake</li> <li>Option (Electronic Clock &amp; Kitchen</li> <li>Timer, Fast Preheat, Hi Low Bolt,</li> <li>Open "On" Light, Self-Clean Cool</li> <li>Downed Time Display, Steam Clean</li> <li>Based Goodies (No Preheat), Pro</li> <li>Warm Mode, Warm Mode</li> <li>Preheat Goodies (No Preheat),</li> <li>Conversion Bake, Conversion</li> <li>Road, Prozen Pizza Multi Rack</li> <li>No Preheat, Prozen Pizza Single</li> <li>No Preheat, Prozen Snacks Multi</li> <li>Rack (No Preheat), Prozen Snacks</li> <li>Single Rack (No Preheat), Proof,</li> <li>Warning</li> </ul>
<b>Oven Cooking Modes</b>	
<b>Control Type</b>	Digital Temperature Display, Electronic Oven Controls, Glide Touch
<b>Cooking System</b>	The European Connection with Precision Air
<b>Heating Element "On" Indicator Light</b>	
<b>Oven Features</b>	<ul style="list-style-type: none"> <li>6-Pass Bolt Element, Hidden Bake</li> <li>2 Self-Clean Heavy-Duty Oven</li> <li>Elements, 6 Black Positions</li> </ul>
<b>Oven Rack Features</b>	
<b>Storage Drawer Features</b>	Removable Full-Width, Soft Close
<b>Drawer Type</b>	Slide-In Single Oven
<b>Connected Capabilities</b>	Amazon Alexa, Google, Drop, IFTTT, Nest, The Google Assistant
<b>Melt Setting</b>	Yes
<b>WiFi Connect</b>	Yes
<b>Cooking Technology</b>	Convection
<b>Cooktop Type</b>	Induction
<b>Drawer Type</b>	Storage
<b>Full Size</b>	Electric
<b>Over Interior</b>	1 Halogen Light, Black

GE® Stainless Steel Interior Dishwasher with Front Controls



Model# GDF645SMNES



- Drains breathe with fan assisted - Gets hard-to-dry items to dry faster
- Bottle brushes - Clean hard-to-reach areas inside tall upper rack
- Dish racks - 4 dedicated jets integrated into the upper rack that shower water deep inside for the ultimate clean
- Wash Zones - Wash a true half-load in either the upper or lower rack without sacrificing cycles and options available
- Steam - Soaks - Loosens tough soils before any drying
- Sensor - 99.999% of the need for soaking or pre-rinsing dishes - 100% temperature control - 99.999% of bacteria found on dishes
- Manual + Adjustable upper rack - Flipping plates up to 324° and other tall items in the upper rack is possible with a touch of a button
- 1 Hour Wash - Enjoy a quality clean when you're short on time
- Petriarch hard food disposer - To ensure consistency in cleaning, this stainless steel blade rotates at 3,000 RPM to pulverize food particles and helps to prevent any clogging or food savings
- Automatic cycle - Automatically adjusts its soil level to maximize energy savings and ensure clean dishes
- 16 Place Setting Capacity - Easily clean dishes that other place settings cannot - Extra capacity that holds up to 16 place settings

<b>Features</b>	<ul style="list-style-type: none"> <li>• Built-In Front Control</li> <li>• Stainless Steel</li> <li>• Tall Tube</li> <li>• 8 Touchpads: Clean Touch Control Front Controls</li> <li>• 3 Digit Countdown Display with 1 "Clean light" &amp; 1 "Sanitize" light</li> <li>• Cycle Progress Indicators: Audible End-Cycle Warning, Signal Lock</li> <li>• Last-Cycle Memory, Start/Reset</li> </ul>
<b>Dishwasher Control Type</b>	<ul style="list-style-type: none"> <li>• 3-Level, 600 Series</li> </ul>
<b>Wash System</b>	Automatic Hotstart; Automatic Temperature Control, Bottle Jets
<b>Wash System Features</b>	<ul style="list-style-type: none"> <li>• 3-Drain Pump, Dual Pumping</li> <li>• Hydrojet, Piranha® Hard Food Disposer with removable filter</li> <li>• Clean Sensor</li> <li>• 3 Wash Levels: Lower, Middle; Upper</li> </ul>
<b>Sensor</b>	12-oz. Filtration with Piranha Hard Food Disposer and Removable Filter
<b>Wash Rinses</b>	<ul style="list-style-type: none"> <li>• 3 Rinse Aid with Indicator and Adjustment</li> </ul>
<b>Water Filtration System</b>	5
<b>Dispenser</b>	<ul style="list-style-type: none"> <li>• 1 Hour Wash: Auto Sense, Heavy Wash; Light Wash; Normal Wash</li> </ul>
<b>Number of Cycles</b>	11
<b>Dishwasher Cycles</b>	<ul style="list-style-type: none"> <li>• Bottle Jets, Child Lock, Delay Start</li> <li>• 12-oz. Dry Boost™: Heated Dry; Steam INF® (sa Certified); Steam Wash; Steam Wash; Wash Temp; Wash Zone Lower Only; Wash Zone Upper Only</li> </ul>
<b>Number of Options</b>	1
<b>Dishwasher Options</b>	<ul style="list-style-type: none"> <li>• 3 Piece Silverware basket with 13 Covers, 1 Utility Shelves with 1 Safe - upper; Adjustable upper Rack; Ball-Tipped Tines</li> </ul>
<b>Rack Features</b>	<ul style="list-style-type: none"> <li>• 1 Piece Silverware basket with 13 Covers, 1 Utility Shelves with 1 Safe - upper; Adjustable upper Rack; Ball-Tipped Tines</li> </ul>
<b>Racking Material</b>	<ul style="list-style-type: none"> <li>• Ingot Silver</li> </ul>
<b>Rack Color</b>	<ul style="list-style-type: none"> <li>• Up to 18"</li> </ul>
<b>Number of Place Settings</b>	<ul style="list-style-type: none"> <li>• 12 Piece Silver Shelves; Ball-Tip Tine Height Adjustable; Removable Ball-Tip Tines</li> </ul>
<b>Additional Product</b>	<ul style="list-style-type: none"> <li>• Active Food Protect Dry Boost™; Pan Assist Dry; Heat Dry - On/Off; Multi-Washgate Water Drain Element</li> </ul>
<b>Dishwasher Drying Features</b>	<ul style="list-style-type: none"> <li>• 4 Leveling Legs</li> </ul>
<b>Leveling System</b>	<ul style="list-style-type: none"> <li>• Center Pull</li> </ul>
<b>Latch</b>	<ul style="list-style-type: none"> <li>• Traditional</li> </ul>
<b>Showroom Power Mode</b>	<ul style="list-style-type: none"> <li>• No</li> </ul>
<b>WiFi Connect</b>	<ul style="list-style-type: none"> <li>• No</li> </ul>
<b>Other Info</b>	<ul style="list-style-type: none"> <li>• Other Info requires part no. P822300001</li> </ul>



TRADITIONAL GANTRY® PULLDOWN FAUCET - HOOK SPOUT  
Polished Nickel Finish

MODEL NO. 4400

- Unique patent protected design
- Hook up with 10-3/4" reach
- Spout extends 360 degrees
- Built-in diverter for pre-rinse sprayer
- Spray arm sprays to reach all areas of sink
- Select lever forward or angled stream
- Adjustable PPS® Control Knob helps handle feel and prevents sag
- Handle adjusts 22.5 degrees in either direction for backsplash clearance
- Single handle mounts in front, right or left hand positions
- Hot/Cold ceramic disc valve cartridge
- Compatible with reverse osmosis filtration system
- 1.78 gpm maximum flow rate with aerated spout
- Solid brass construction
- Reinforced braided connection hoses
- Lifetime Functional Warranty
- Made in the USA
- Includes 3 handle button options

## Vent Hood

## Induction Range

# Dishwasher

# Faucet

# BATHROOM

## TOTO.

### MW6263046CEFG(A)

Aimes® WASHLET®+ S500e  
One-Piece Toilet - 1.28 GPF

#### FEATURES

- Concealed supply connection for seamless installation
- TORNADO FLUSH® system, high-efficiency (1.28 GPF/4.8 LPF)
- CEFIONTECT® ceramic glaze prevents debris and mold from sticking to ceramic surfaces
- Completely skirted design for a sleek and understated look that's easier to clean
- Universal Height
- 12" Rough-in
- Chrome plated trip lever
- Elongated front bowl and WASHLET+ S500e and tank set
- EWATER+® auto-cleans wand and bowl
- On-demand remote function cleans wand with EWATER+
- PREMIST of bowl before each use
- Remote control operated
- Auto Flush available as upgrade



#### MODELS & COMPONENTS

- MW6263046CEFGA (#01)  
With CEFIONTECT ceramic glaze, WASHLET+ S500e with contemporary design and Auto Flush
  - CST626CEFGAT40
  - Elongated toilet with CEFIONTECT
  - SW3046AT40
  - WASHLET+ S500e - Auto Flush compatible
  - THU767
  - Auto Flush Kit
- MW6263046CEFG (#01)  
Same as MW6263046CEFG without Auto Flush
  - CST626CEFGT40
  - Elongated toilet with CEFIONTECT
  - SW3046T40
  - WASHLET+ S500e - Non Auto Flush compatible

#### Optional Components

- TSU03W.10R  
10" Unifit Rough-In
- TSU03W.14R  
14" Unifit Rough-In
- THU311N#PN  
Trip Lever - Polished Nickel
- THU311N#BN  
Trip Lever - Brushed Nickel

#### COLORS/FINISHES

- #01 Cotton

- TORNADO FLUSH
- CEFIONTECT
- Universal Height
- EWATER+
- Auto Flush

#### PRODUCT SPECIFICATION

The one-piece high-efficiency TORNADO FLUSH system toilet shall be 1.28 GPF/4.8 LPF. Toilet shall be 12" Unifit rough-in. Toilet shall have optional CEFIONTECT ceramic glaze and be at Universal Height. Toilet shall have elongated front bowl with Polished Chrome trip lever. Toilet shall be TOTO Model MW6263046CEFG\_#01

See SW3056(A)T40 Specification Sheet for details on included WASHLET.

#### CODES/STANDARDS

- Meets or exceeds ASME A112.19.2/CSA B45.1
- Certifications: IAPMO(cUPC), EPA Watersense, State of Massachusetts, City of Los Angeles, and others
- Code compliance: UPC, IPC, NSPC, NPC Canada, and others
- Legislative Compliance: California AB715, California Green Building Code, City of Los Angeles Water Efficiency Ordinance
- ADA compliant (when installed with trip lever located on the approach side)
- Complies with CA Prop 65 warning requirements



## KOHLER.

#### Features

- Cushioned center guide provides smooth, quiet sliding action.

#### Technology

- Frameless, 3/8" (10 mm) thick Crystal Clear tempered glass.
- Innovative roller design simplifies installation and provides out-of-plumb adjustability while glass is installed.
- Vertical blade handles accentuate the contemporary style.
- CleanCoat® nanotechnology provides a smooth, nonstick surface to help prevent buildup of water stains, bacteria and mildew on your glass, to make it easy to clean and keep it looking like new.

#### Installation

- Sliding shower door.
- Not for use in hospitality.
- For residential use only.

#### Recommended Products/Accessories

K-23723 Faucet cleaner

#### Included Components

Additional Components:  
Hardware kit

### Levity® Frameless Sliding Shower Door K-706013-L



#### Codes/Standards

CPSC 16CFR 1201  
ANSI Z97.1

#### KOHLER® One-Year Limited Warranty

See website for detailed warranty information.

#### Available Colors/Finishes

Color tiles intended for reference only.

Color	Code	Description
	SHP	Bright Polished Silver
	NX	Brushed Nickel
	ABV	Anodized Brushed Bronze
	ABZ	Anodized Dark Bronze

#### Available Glass Options

Code	Description
L	Crystal Clear

1-800-4KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications. For the most current Specification Sheet, go to [www.kohler.com](http://www.kohler.com). 3-22-2020 07:34 - US/CA/MX

THE BOLD LOOK  
OF KOHLER.

Toilet

Shower Door

# BATHROOM CONT.

## Acclaim™ Fog-Free Mirror

Product Specifications: Residential

## ELECTRIC MIRROR™



### FEATURES AND BENEFITS

- Suitable for wet locations including the shower
- Copper-free, corrosion-resistant DuraMirror™ glass
- Integrated defogger
- Forward-facing task lighting
- Environmentally sustainable
- Energy efficient
- Fast lead times
- Easy installation
- ADA compliant
- 7-year limited warranty
- Proudly made in the USA

### AVAILABLE OPTIONS

- Down light

### LIGHTING SPECIFICATIONS

- Natural-looking LED light color
- Replaceable LEDs
- CRI: 85 (DPG says 90)
- CCT: 3,000 Kelvin
- 756 lumens per foot
- Calculated L70 50,000-hour LED lifespan (RPG says 52)
- Maximum 85 lumens per watt efficacy

### SAFETY SPECIFICATIONS

- Entire assembly meets UL/CUL standards
- Safety-backed mirror

### PRODUCT DESCRIPTION

To create our popular Acclaim™, we merged contemporary design, natural-looking LED lighting, and a highly versatile built-in defogger — making shaving easier than ever and revolutionizing how you experience the shower.

### SPECIFICATION STATEMENT

Solution shall consist of a lighted mirror with forward-facing task lighting and corrosion-resistant glass, suitable for wet locations including showers. Mirror shall have built-in defogger to keep glass clear and uniform light output in frosted areas, using replaceable LEDs with greater than or equal to 85 CRI (color rendering index). Product will be made in USA and have a 7-year limited warranty.

### THE ELECTRIC MIRROR ADVANTAGE

- ✓ Global mirror technology leader for over 30 years
- ✓ More installations than all competitors combined
- ✓ Realistic warranty you can believe in and trust
- ✓ Lowest total cost of ownership
- ✓ U.S. based customer service support
- ✓ 125,000 square foot American manufacturing facility



ELECTRIC MIRROR® 425.776.4946 | [electricmirror.com](http://electricmirror.com) | [residential@electricmirror.com](mailto:residential@electricmirror.com) | © 2019 Electric Mirror. All rights reserved.

## NEOREST.

## TL993SE

### Neorest® II Lavatory Faucet

### FEATURES

- Electronic faucet
- Adjustable temperature control above deck
- LED light on control indicating temperature
- Cascading laminar flow
- Two flow rates (2.0/1.3 gpm)
- SMA antiscald thermostatic mixing valve
- Grid drain not included



### COLORS/FINISHES

- #CP Polished Chrome

### CODES/STANDARDS

- Meets and exceeds ASME A112.18.1/CSA B125.1, NSF 61-9, ASSE 1070, UL 1951, CSA C22.2#14
- Certifications: IAPMO(cUPC), State of Massachusetts and others
- Code Compliance: UPC, IPC, NSPC, NPC Canada, and others
- Legislative Compliance: California AB1953 & Vermont S.152
- Complies with CA Prop 65 warning requirements




### PRODUCT SPECIFICATION

The electronic faucet shall have an adjustable temperature with on-deck handle, temperature indicating LED light on handle and be compliant with California AB1953 & Vermont S.152. Product shall have electrical components separated from spout assembly and sealed in waterproof compartments. Product shall have a 2 flow rates of 2.0 or 1.3 gallons per minute. Product shall be TOTO Model TL993SE#CP.

### Form composition number fourteen

#14



- (1) Monoblocco e lavabo da 45 cm.
- (1) This suspended vanity unit with a 45 cm wide washbasin.
- (1) Hängeschrank und 45 cm Waschbecken.
- (1) Monobloc et vasque de 45 cm.
- (1) Monobloque y lavabo de 45 cm.
- (1) Моноблок тумба и раковина размером 45 см.



Mirror

Lavatory faucet

Lavatory


# BEDROOM



Bike Storage (Etsy)  
Build something similar



Nightstand  
Open for bed drawers



Queen size bed  
Drawer storage under

